

SUPPLEMENT TO



The Gazette  of India

No. 3] NEW DELHI, SATURDAY, JANUARY 17, 1959/PAUSA 27, 1880

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 20th December, 1958

		CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE	
		C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.
Andhra Pradesh								Bombay—contd.							
Srikakulam	.	4	4	15	4	East Khandesh	18	2
Visakhapatam	5	2	Nasik	10	4
East Godavari	.	8	7	8	2	Poona	1
West Godavari	.	10	4	Sholapur	2	2
Krishna	.	4	2	4	Akola	1
Guntur	.	10	4	24	8	Chanda	14	1
Nellore	.	30	12	Yeotmal	1
Kurnool	8	1	TOTAL	.	4	2	87	13
Cuddapah	.	1	1	Total for w/c 13-12-58	14	5	44	5	
Anantapur	28	4	Total for w/c 6-12-58	105	31	61	11	
Chittoor	5	1	Delhi							
TOTAL	.	67	34	97	22	"N. R."							
Total for w/c 13-12-58	92	57	83	23	Himachal Pradesh							
Total for w/c 6-12-58	86	44	150	35	"N. R."							
Assam								Kerala							
Kamrup	.	28	15	Trivandrum	1	1
TOTAL	.	28	15	Quilon	1	1
Total for w/c 13-12-58	31	19	Allepey	5	1
Total for w/c 6-12-58	20	16	Trichur	23	10
Bihar								Palghat							
Darbhanga	.	4	2	14	6	Kozhikode	3	1
Monghyr	15	3	Cannore	1
Hazaribagh	18	7	TOTAL	34	14
Ranchi	29	5	Total for w/c 13-12-58	57	19	
Dhanbad	3	Total for w/c 6-12-58	58	22	
TOTAL	.	4	2	79	21	Madhya Pradesh							
Total for w/c 13-12-58	10	5	108	25	"N. R."							
Total for w/c 6-12-58	44	6	Madras							
Bombay								Madras City							
Greater Bombay	1	Chingleput	.	..	11	6	9	3	..
Kaira	2	South Arcot	3	3
Surat	.	4	2	Tanjore	15	9
Sorath	34	4	Madurai	1
Ahmednagar	3	Ramanathapuram	4
								North Arcot							
								18 9							

Explanation of Symbols used : —C.—Cases; D.—Deaths; ..—Nil "N. R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 20th December, 1958—*contd.*

		CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE	
		C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.
Madras—contd.								Rajasthan							
Salem	1	"N. R."							
Coimbatore	12	2	Tripura							
The Nilgiris	2	"N. R."							
Kanya Kumari	9	1	Uttar Pradesh							
TOTAL		47	17	147	36	Allahabad	1
Total for w/e 13-12-58		17	6	135	53	Agra	2	7
Total for w/e 6-12-58		12	2	172	51	Azamgarh	25	8
Manipur								Basti	3
TOTAL	Balia	1
Total for w/e 13-12-58		Eijnor	37	11
Total for w/e 6-12-58		Badaun	6
Mysore								Bahraich	18	4
Bangalore	8	4	Deoria	5
Chitradurga		3	4	Farrukhabad	1
Hassan	3	Faizabad	3	1
Kolar	2	1	Fatehpur	2	4
Mysore	22	3	Hardoi	1	1
Belgaum	1	Nanital	2
Bijapur	2	1	Hamirpur	4
TOTAL		3	4	38	9	Jaunpur	3	2
Total for w/e 13-12-58		3	4	15	5	Kanpur	11	2
Total for w/e 6-12-58		6	4	62	15	Lucknow		1	..	13	3
Orissa								Mainpuri	2	1
Cuttack		4	2	8	2	Mirzapur	7	3
Balasore		6	2	1	Muzaffarnagar	8	5
Puri	5	Sharanpur	10	7
Sambalpur	17	5	Sitapur	1
Baudh	25	12	TOTAL		1	..	165	60
Ganjam		60	40	14	4	Total for w/e 13-12-58		2	..	114	32
Koraput	40	11	Total for w/e 6-12-58		2	..	92	39
Mayurbhanj	2	West Bengal							
Dhenkanal	6	2	"N. R."							
Bolangir-Patna	11	Total for India (Ex-							
TOTAL		70	44	129	36	cluding Delhi,							
Total for w/e 13-12-58		30	17	169	40	Bombay, Bihar,							
Total for w/e 6-12-58		33	23	74	18	Himachal Pradesh,							
Pondicherry								Madhya Pradesh,							
TOTAL	Mysore, Punjab,							
Total for w/e 13-12-58		1	1	Rajasthan, Tripura							
Total for w/e 6-12-58		3	..	2	2	and West Bengal)							
Punjab								224	118	789	216		
Ferozpur	2	Corresponding total							
Gurdaspur	5	1	for w/e 13-12-58		199	113	729	206
Sangrur	6	3	Corresponding total							
Kapurthala	1	for w/e 6-12-58		267	120	725	199
TOTAL	13	5	Bombay							
Total for w/e 13-12-58		3	3	ARREAR INFORMATION							
Total for w/e 6-12-58		10	1	w/e 13-12-58							
								Greater Bombay	2	1
								Ahmednagar	9	1
								Surat		4	4
								Amreli	1
								Baroda	3	1
								Ahmedabad	2

Explanation of Symbols used : —C. = Cases ; D. = Death ; .. Nil; "NR" = Information not received.

Reported attack and deaths from cholera, Smallpox, Plague and Typhus in districts in India during the week ending the 20th December, 1958—*concl'd.*

CHOLERA							SMALLPOX							PLAGUE									
C		D.		C.			D.		C.		D.			C.		D.			C.		D.		
Bombay—contd.							Rajasthan																
w/e 13-12-58							w/e 22-11-58																
East Khandesh	15	Banswara	1	
Nasik	9	2	Chittor	7	3	
North Satara	1	Churu	13	
Akola	2	Ganganagar	1	
Bhandara	10	1	Kotah	4	2	
TOTAL	14	5	44	5	TOTAL	25	6	
West Bengal																							
w/e 13-12-58							w/e 29-11-58																
Burdwan	1	1	9	5	Jhujhunu	5	2	
Birbhum	8	2	Pali	16	4	
Bankura	1	Chittor	6	1	
Midnapur	12	3	Churu	1	
Hooghly	4	2	Jodhpur	17	8	
24-Parganas	64	21	Ganganagar	13	1	
Calcutta	6	1	2	1	Kotah	1	
Nadia	2	TOTAL	59	16	
Murshidabad	9	3	w/e 6-12-58															
Malda	16	3	Jhunjhunu	35	7	
TOTAL	7	2	127	40	Pali	18	4	
Delhi																							
w/e 13-12-58																							
Delhi city	6	Chittor	6	1	
Delhi Notified Area Committee	1	Udaipur	1	
TOTAL	6	1	Ganganagar	4	1	
Himachal Pradesh																							
w/e 6-12-58																							
Mandi	25	12	Alwar	3	
TOTAL	25	12	TOTAL	67	13	
w/e 13-12-58																							
Mandi	25	12	REMARKS															
TOTAL	25	12	Smallpox: Heavy incidence was reported from Madras city and Baudh district of Orissa State.															
Explanation of Symbols used:—C=Cases; D=Deaths; ..=Nil.																							

Explanation of Symbols used:—C=Cases; D=Deaths; ..=Nil.

NEW DELHI-2 (INDIA) }
The 12th Jan. 1959 }

H. R. SHARMA,
for Registrar General India

Prosper with the **NATION**

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL PLAN SAVINGS CERTIFICATES	Interest at 5.41 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	4 per cent interest paid annually. Available in multiples of Rs. 50/- upto Rs. 25,000/- Individual holding upto Rs. 25,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2½ per cent interest added on deposits upto Rs. 10,000/- and 2 per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices : Rs. 3,325/-, Rs. 6 650/-, Rs. 13,300/-, & Rs. 26,600/-	Refunded together with compound interest at 4.25 per cent per annum in the form of monthly payments spread over a period of fifteen years.
YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX	
For further particulars and/or rules governing these investments please write to the National Savings Commissioner, Nagpur or to the Regional National Savings Officer of your State	INVEST IN INDIA'S FUTURE

DA-58/231

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 20th December, 1958

Town	Mid-year Popn-Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Andhra Pradesh				"N. R."										
Assam				"N. R."										
Bihar				"N. R."										
Bombay				"N. R."										
Delhi														
Delhi City	1,216	597	25.5	53	13	66	1	268	11.5	60	
New Delhi	417	679	84.7	1	..	29	3.6	7	
N. A. C. Civil. Station Delhi	130	95	38.0	..	1	10	..	38	15.2	8	
Delhi Cantt	54	50	48.2	1	1.0	..	
Delhi Shahdara	58	59	52.9	6	2	4	..	19	17.0	7	
TOTAL	1,875	1,480	41.0	..	1	..	59	15	81	1	354	9.8	82	
Kerala				"N. R."										
Madhya Pradesh				"N. R."										
Madras														
Ambur	48	27	29.2	..	1	..	3	1	8	8.7	4	
Arrupukottai	62	37	31.0	3	9	1	..	29	24.3	6	
Bodinayakunur	43	22	26.6	5	2	8	9.7	5	
Chidambaram	43	41	49.6	1	2	1	..	11	13.3	2	
Coinbatore	267	277	54.0	..	2	..	2	12	19	2	92	17.9	29	
Cuddalore	76	65	44.5	2	..	18	12.3	3	
Dindigul	100	72	37.4	6	12	6.2	4	
Erode	77	67	45.2	1	5	..	12	8.1	3	
Gobichetipalayam	48	7	7.6	1	..	6	6.5	..	
Gudiyattam	58	49	43.9	2	2	..	12	10.8	5	
Kancheepuram	93	70	39.1	1	3	7	..	26	14.5	6	
Karaikudi	47	16	17.7	1	7	7.7	3	
Karur†														
Kumbakonam	115	72	32.6	1	5	3	..	46	20.8	7	
Madras City	2,011	1,451	37.5	12	8	..	103	127	207	1	814	21.1	214	
Madurai	488	402	42.8	10	11	26	..	158	16.8	49	
Mayuram	53	65	63.8	1	2	..	11	10.8	1	
Maliapalayam	43	6	7.3	1	1	6	7.3	1	
Nagapattinam	62	74	62.1	2	2	1	..	14	11.7	3	
Nagercoil	109	70	33.4	4	4	2	..	24	11.4	5	
Ootacamund	53	29	28.5	4	1	13	12.8	6	
Palni	44	31	36.6	2	1	5	..	13	15.4	2	
Palayamkottai	48	40	43.3	3	2	2	1	26	28.2	4	
Periyakulam	35	9	13.4	2	1	..	5	7.4	..	
Pollachi	60	41	35.5	1	1	2	..	14	12.1	7	
Pudukottai	54	42	40.4	2	..	17	16.4	3	
Rajapalayam	74	25	17.6	2	3	1	..	13	9.1	4	
Salem	279	156	29.1	4	4	11	1	57	10.6	8	
Sriangam	46	11	12.4	1	..	1	..	8	9.0	2	
Srivilliputtur	45	26	30.0	3	12	13.9	5	
Tanjore	133	86	33.6	2	4	..	33	12.9	9	
Tiruchirappalli	276	155	29.2	5	3	3	..	55	10.4	12	
Tirunelveli	84	51	31.6	1	3	2	..	26	16.1	5	
Tiruppur	73	45	32.1	1	1	..	6	4.3	1	
Tiruvannamalai	47	54	59.7	1	..	3	..	17	18.8	3	
Tuticcrin	121	61	26.2	6	13	..	42	18.0	9	
Vaniyambadi	45	31	35.8	1	1	..	10	11.6	2	
Vellore	141	144	53.1	3	2	11	..	57	21.0	15	
Villapuram	42	35	43.3	1	1	..	13	16.1	5	
Virudhunagar	57	31	28.3	1	3	11	10.0	3	
TOTAL	5,600	3,993	37.1	12	11	..	165	221	349	6	1,762	16.4	455	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate, I.D.=Infantile Deaths (included in total deaths); ..=Nil information; "N.R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 20th December, 1958—*contd.*

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	Deaths from —									Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Mysore															
Bangalore . . .	1,246	685	28.5	1	80	52	25	239	9.9	31		
Mysore . . .	347	179	26.8	15	7	1	1	81	12.1	2		
Kolar Gold Fields . . .	180	68	19.6	5	3	..	23	6.6	..		
Bellary . . .	83	71	44.4	2	4	3	1	25	21.9	2		
Davangere . . .	85	41	25.8	3	15	9.1	2		
Shimoga . . .	68	28	21.4	6	3	12	9.1	..		
Bhadravati†															
Hospet . . .	51	20	20.3	1	1	2	1	9	9.1	..		
Tumkur†															
Kolar†															
Chitaldrug	37	1	1.4	..		
Hassan†															
Bidar†															
Gulberga†															
Rajchur†															
Bijapur†															
Belgaum . . .	110	64	30.2	1	1	2	..	42	19.8	4		
Dharwar . . .	85	26	15.6	1	20	12.2	..		
Bagalkot†															
Mangalore . . .	153	230	78.1	1	..	2	..	35	11.8	..		
Gadag Betegere . . .	73	46	32.7	8	..	1	1	29	20.6	..		
Hubli†															
TOTAL . . .	2,518	1,458	30.1	38	102	66	29	541	11.2	41		
Orissa															
Bhrampur . . .	81	100	64.2	8	4	3	1	44	28.3	11		
Cuttack . . .	129	86	34.7	8	2	3	1	28	11.3	9		
Puri . . .	56	47	43.6	6	1	22	20.4	4		
TOTAL . . .	266	233	45.5	22	7	6	2	94	18.4	24		
Pondicherry	68	87	66.5	4	2	6	3	20	15.2	4		
Punjab															
Ambala . . .	62	50	41.9	3	1	7	..	16	13.4	5		
Amritsar . . .	359	193	28.0	1	7	28	..	74	10.7	19		
Batala . . .	66	44	34.7	4	..	2	..	8	6.3	3		
Bhiwani . . .	59	50	44.1	1	1	3	..	10	8.8	4		
Ferozepur†															
Hissar . . .	41	38	48.2	1	..	2	..	5	6.3	2		
Hoshiarpur . . .	54	37	35.6	6	5.8	..		
Jullundur . . .	230	155	35.0	11	6	8	..	44	9.9	9		
Karnal . . .	83	47	29.4	4	..	2	..	10	6.3	..		
Ludhlana . . .	194	171	45.8	3	..	20	..	56	15.0	12		
Moga†															
Panipat . . .	72	46	33.2	10	11	7.9	3		
Pathankot . . .	36	37	53.4	1	..	2	..	3	4.3	1		
Rewari . . .	40	28	36.4	3	..	3	..	8	10.4	2		
Rohtak . . .	96	69	37.4	4	1	5	..	19	10.3	6		
Simla . . .	53	32	31.5	1	..	6	5.9	2		
Sonepat . . .	36	42	60.7	2	7	10.1	3		
Bhatinda . . .	45	30	34.7	3	..	1	..	4	4.6	..		
Malerkotla . . .	35	30	44.6	6	7	10.4	..		
Patiala . . .	125	78	32.4	14	..	3	..	26	10.8	9		
TOTAL	1,686	1,177	36.3	71	16	87	..	320	9.8	80		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Birth ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I. D.=Infantile Deaths (included in total deaths) ; ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 20th December, 1958—*contd.*

Towns	Mid year. Popn. Est. (000)	Deaths from:—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Rajasthan															
Ajmer	244	105	22·3	10	4	13	..	42	8·9	2		
Alwar	61	3	2·5	2	5	4·2	2		
Beawar	65	24	19·2	8	1	17	13·6	4		
Bharatpur†															
Bikaner†															
Churu	52	4	4·0		
Ganganagar															
Jaipur	419	118	14·6	50	7	6	1	96	11·9	27		
Jodhpur†															
Kotah†															
Sikar†															
Tonk†															
Udaipur	121	17	7·3	1	..	1	1	29	12·4	3		
TOTAL	962	271	14·6	71	12	20	2	189	10·2	38		
Uttar Pradesh															
Agra	404	410	52·8	1	4	63	..	129	16·6	44		
Allahabad	372	190	26·6	1	22	2	51	7·1	18		
Amroha	61	46	39·2	3	..	5	2	22	18·8	5		
Bahraich	49	30	31·8	1	1	7	7·4	4		
Banaras	416	329	41·1	24	7	19	..	146	18·3	30		
Banda†															
Bareilly	206	46	11·6	4	2	11	..	20	5·1	6		
Basti†															
Ballia†															
Bijnor†															
Budaun	55	30	28·4	6	1	3	..	20	18·1	6		
Bulandshahr	45	19	22·0	4	4	4·6	1		
Chandausi	44	35	41·5	2	2	6	..	15	17·8	2		
Dehra Dun	186	34	9·5	7	1·1	3		
Etawah†															
Faizabad-Ayodhya †															
Farukhabad-Fatehgarh	78	42	28·1	1	3	7	..	23	15·4	5		
Firozabad	93	11	6·2	1	1	..	4	2·2	1		
Ghazipur	35	33	49·0	4	1	9	13·4	2		
Ghaziabad	68	37	28·4	3	2	11	8·4	2		
Gonda	35	22	32·8	2	1	4	..	9	13·4	1		
Gorakhpur	150	65	22·6	6	3	5	..	25	8·7	4		
Hapur	65	38	30·5	5	4	5	..	16	12·8	3		
Hardwar	73	31	22·1	10	2	8	..	29	20·7	7		
Hathras	65	36	28·9	17	4	6	1	35	28·0	8		
Jaunpur	59	30	26·5	3	..	4	..	12	10·6	1		
Jhansi	132	81	31·1	18	1	1	..	30	11·8	5		
Kanpur	810	373	24·0	110	23	45	7	303	19·5	74		
Kasganj	34	4	6·1	2	3·1	..		
Khurja	41	33	41·1	5	..	1	..	7	8·9	2		
Koil-Allgrah	167	98	30·6	7	1	8	..	19	5·9	5		
Lucknow	525	339	33·7	20	8	20	3	145	14·4	59		
Mathura	118	82	36·2	12	1	4	1	30	13·2	4		
Mau-Nath Bhanjan	39	30	40·1	1	1	9	12·0	3		
Meerut	198	174	45·7	5	2	10	..	23	6·0	3		
Mirzapur-Vindhyachal	100	67	34·9	9	1	3	..	20	10·4	3		
Moradabad	165	150	47·4	15	7	17	1	63	19·9	15		
Muzaffarnager	81	47	30·2	8	..	1	..	11	7·1	4		
Pilibhit	47	25	27·7	5	5	5	..	18	19·1	4		
Rampur†															
Saharanpur	178	110	32·2	27	..	4	..	48	14·1	13		
Sambhal†															
Sitapur†															
Shahjahanpur†															
TOTAL	5,194	3,127	31·3	338	88	288	18	1,322	13·2	347		
West Bengal															
"N.R."															

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil Information. "N.R." Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 20th December, 1958—*contd.*

Towns	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from									Total	*D.R.	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
ARREAR INFORMATION															
Andhra Pradesh															
w/c 13-12-58															
Adoni	72	44	31.0	1	3	3	..	9	6.5	..		
Anantapur	42	20	24.8	1	..	5	6.2	..		
Anakapalli	51	30	30.6	1	1	3	..	18	18.3	3		
Bhimavaram	41	40	50.7	1	..	9	11.4	3		
Chirala	48	43	46.6	1	3	..	2	..	14	15.2	1		
Chittoor	50	38	39.5	2	2	3	1	19	19.8	5		
Cuddapah	46	36	40.7	1	3	..	1	9	10.2	1		
Ellore	108	68	32.7	2	..	2	..	20	9.6	2		
Guduvada	40	45	58.5	1	4	2	2	1	17	22.1	3		
Guntur†															
Guntakal	43	10	12.1	2	1	1	..	8	9.7	2		
Kakinada†															
Kurnool	74	73	51.3	5	5	2	2	34	23.9	10		
Masulipatnam	95	77	42.1	1	2	22	12.0	6		
Nandyal	406	47	61.0	1	6	7.8	..		
Nellore	107	114	55.4	6	2	1	2	57	27.7	12		
Proddutur†															
Rajahmundry	137	159	60.4	6	3	3	..	46	17.5	4		
Tenali	76	52	35.6	1	..	2	..	15	10.3	1		
Vijayawada	253	153	31.5	..	1	..	15	6	9	1	87	17.9	25		
Visakhapatnam	148	78	27.4	..	2	..	12	10	14	..	50	17.5	17		
Vizilangaram	81	50	32.1	3	2	3	2	27	17.3	4		
Hyderabad	1,291	511	20.4	17	6	23	..	165	6.6	11		
Warrangal†															
Nizamabad†															
Kothagudiam†															
Secunderabad	192	123	33.3	3	1	8	..	37	10.0	10		
TOTAL	3,035	1,811	31.0	2	3	..	85	50	83	10	674	11.5	120		
Bihar															
w/c 13-12-58															
Arrah	74	9	6.3	2	1	1	..	6	4.2	..		
Bettiah	40	9	11.7	1	..	1	..	7	9.1	..		
Bhagalpur	133	33	12.9	3	25	9.8	..		
Bihar	70	69	51.3	3	5	3.7	..		
Chapra†															
Darbhanga	98	21	11.1	4	1	8	4.2	..		
Dhanbad	48	12	13.0	1	1	6	6.5	..		
Dinapur	45		
Gaya	159	14	4.6	11	1	14	..	44	14.4	..		
Hazaribagh	42	10	12.4	4	5.0	2		
Jamalpur	48	11	11.9	1	1	1.1	..		
Jamshedpur	266	115	22.5	1	1	9	..	36	7.0	8		
Katihar	60	5	4.3	1	..	2	1.7	..		
Monghyr	84	69	42.7	18	28	17.3	..		
Muzaffarpur†															
Patna	371	43	6.0	1	0.1	..		
Ranchi	157	20	6.6	..	1	..	4	..	1	..	14	4.6	7		
TOTAL	1,695	440	13.5	..	1	..	48	6	27	..	187	5.7	17		
Bombay															
w/c 29-11-58															
Ahmedabad	970	815	43.7	26	19	98	..	450	24.1	122		
Ahmednagar	108	85	40.9	2	4	11	..	41	19.7	9		
Amalner	54	26	25.0	6	10	9.6	1		
Baroda	266	259	50.6	21	1	13	2	85	16.6	18		
Barsi	48	49	53.1	5	12	13.0	3		
Bhusawal	73	39	27.8	1	..	4	..	10	7.1	..		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :— B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 20th December, 1958—*contd.*

Towns	Mid.-year. popn.-Est. (000)	Deaths from											DR.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	DD.	R.D.	M.D.	Total			
Bombay—contd.		w/e 29-11-58												
Broach	68	43	32.9	2	8	6.1	..	
Cambay	42	38	47.0	2	2	..	11	13.6	5	
Chalisgaon	38	20	27.5	6	..	2	..	11	15.1	3	
Dhulia	101	61	31.4	3	1	1	..	15	7.7	3	
Godhra	41	46	58.3	4	9	11.4	1	
Greater Bombay	4,117	2,784	35.1	48	117	1	633	8.0	181	
Jalgaon	88	99	58.5	3	1	6	..	18	10.6	1	
Kalyan	93	57	31.9	4	3	1	..	16	8.9	5	
Kolhapur	181	127	36.5	4	3	7	..	63	18.1	14	
Malegaon	74	59	41.5	..	2	..	14	..	4	..	28	19.7	9	
Miraj	47	36	39.8	2	1	19	21.0	3	
Nadiad	78	67	44.7	10	20	13.3	4	
Nandurbar	38	30	41.1	3	..	1	..	11	15.1	..	
Nasik	151	215	74.0	4	1	3	..	37	12.7	6	
Narsari	52	47	47.0	8	1	..	1	16	16.0	3	
Pandharpur	47	39	43.1	1	5	3	6	..	23	25.4	9	
Patna	49	45	47.8	3	2	4	..	16	17.0	5	
Poona	717	448	32.5	1	4	24	..	122	8.8	38	
Sangli	66	48	37.8	2	2	1	..	20	15.8	3	
Satara	43	40	48.4	2	15	18.1	1	
Sholapur	325	311	50.1	13	13	39	..	129	20.6	22	
Surat	270	223	42.9	10	6	20	..	112	21.6	26	
Thana† Bhavnagar	171	96	29.2	9	3	2	..	45	13.7	8	
Dhoraji	49	30	31.8	4	1	9	9.6	4	
Jamnagar	138	20	7.5	4	..	7	1	19	7.2	6	
Junagarh	66	54	42.5	13	..	4	2	34	26.8	6	
Morvi	44	27	31.9	2	1	4	4.7	..	
Porbander	68	38	29.1	8	3	2	..	16	12.2	1	
Gondal	43	22	26.6	3	2	1	..	10	12.1	..	
Rajkot	217	139	33.3	12	1	6	..	49	11.3	11	
Veraval	50	10	10.4	4	..	1	..	12	12.5	2	
Surendranagar	52	17	17.0	7	9	9.0	6	
Nagpur	602	487	42.1	19	21	16	5	265	22.9	69	
Achalpur	39	38	50.7	1	2	..	9	12.0	2	
Akola	110	75	35.5	11	5	3	..	33	15.6	6	
Chanda	45	19	22.0	4	2	1	..	15	17.3	4	
Gondia	55	41	38.1	4	..	1	..	11	10.2	2	
Hinganghat	37	35	49.2	5	12	16.9	3	
Khamgaon	47	44	48.7	6	10	12.1	6	
Wardha	51	23	23.5	2	2	2.0	..	
Yeotmal	45	31	35.8	13	2	1	..	25	28.9	5	
Kamptee	40	13	16.9	3	..	1	..	10	13.0	1	
Amravati	111	172	80.6	10	6	2	..	62	29.0	8	
Aurangabad	81	19	12.2	4	2.6	..	
Lathur	46	18	20.3	1	1	6	6.8	..	
Nanded	98	33	17.5	3	1	16	8.5	..	
Parbhani	46	2	2.3	1	1	3	..	9	10.2	..	
Jalna†														
TOTAL	10,597	7,659	37.6	1	2	..	308	163	417	14	2,656	13.0	638	
w/e 6-12-58														
Ahmedabad	970	753	40.4	22	9	60	..	259	13.9	68	
Ahmednagar	108	80	38.4	3	..	11	..	49	23.6	24	
Amalner	54	30	28.9	3	..	3	..	10	9.6	..	
Baroda	266	272	53.2	26	5	21	1	100	19.5	21	
Barsi	48	25	27.1	9	20	21.7	9	
Bhusawal	73	33	23.5	1	..	3	..	14	10.0	1	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Birth ; B.R. = Birth Rate ; C. = Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; .. = Nil.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 20th December, 1958—*contd.*

Towns	Mid-year Popn. Est. (000)	Deaths from :—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Bombay—contd.		w/e 6-12-58												
B'ach	68	45	34.4	5	..	2	..	12	9.2	..	
Cambay	42	37	45.8	1	5	..	20	24.8	3	
Chalisgaon	38	39	53.4	4	1	1	..	10	13.7	1	
Dhulia	101	65	33.5	5	1	1	..	14	7.2	3	
Godhra	41	34	43.1	4	..	1	..	9	11.4	..	
Greater Bombay	4,117	2,539	32.3	..	1	39	91	2	605	7.6	28	
Jalgaon	88	60	35.5	1	2	1	..	19	11.2	1	
Kalyan	93	25	14.0	1	1	2	..	6	3.4	2	
Kolhapur	181	98	28.2	4	2	14	..	48	13.8	3	
Malegaon	74	25	17.6	..	2	..	7	..	1	..	15	10.6	5	
Miraj	47	31	34.3	1	12	13.3	..	
Nadiad	78	62	41.3	8	24	16.0	6	
Nandurbar	38	29	39.7	1	..	1	..	9	12.3	2	
Nasik	151	37	12.7	9	..	5	..	28	9.6	7	
Narsari	52	40	40.0	5	..	1	..	11	11.0	2	
Pandharpur	47	44	48.7	5	5	6	..	27	29.9	5	
Patna	49	48	50.9	1	2	12	12.7	2	
Poona	717	423	30.6	1	4	14	..	116	8.4	10	
Sangli	66	22	17.3	3	..	2	..	12	9.4	4	
Satara	43	35	42.3	1	13	15.7	1	
Sholapur	325	298	47.7	7	9	27	..	136	21.8	13	
Surat	270	198	38.1	6	4	12	..	84	16.2	27	
Thana† Bhavnagar	171	59	17.9	18	5	4	..	41	12.5	..	
Dhoraji	49	19	20.2	4	1	6	6.4	2	
Jamnagar	138	34	12.8	6	2	2	1	16	6.0	4	
Junagarh	66	46	36.2	..	1	..	4	1	4	3	23	18.1	6	
Morvi	44	22	26.0	1	5	5.9	1	
Porbander	68	54	41.3	9	2	1	..	17	13.0	5	
Gondal	43	23	27.8	1	..	2	..	5	6.0	..	
Rajkot	217	102	24.4	10	2	8	..	39	9.3	13	
Veraval	50	27	23.1	5	..	1	..	10	10.4	1	
Surendranagar	52	15	15.0	6	1	13	13.0	1	
Nagpur	602	174	15.0	36	15	64	..	248	21.4	61	
Achalpur	39	25	33.3	3	2	12	16.0	5	
Akola	110	109	31.5	6	2	1	..	20	9.5	6	
Chanda† Gondia	56	28	26.0	6	13	12.1	2	
Hinganghat	37	28	30.1	4	1	9	12.6	3	
Khamgaon	47	34	37.6	5	8	9.3	1	
Wardha	51	16	16.3	1	..	3	3.1	1	
Yeotmal	45	18	20.8	4	..	1	..	17	19.6	3	
Kamptee	40	21	27.3	3	..	1	..	9	11.7	2	
Amravati	111	43	20.1	4	2	33	15.5	4	
Aurangabad	81	19	12.2	2	..	4	2.6	1	
Lathur	46	10	11.3	2	..	1	..	5	5.7	..	
Nanded	98	24	12.7	1	..	1	..	4	2.1	..	
Parbhani	46	1	1.1	1	..	2	2.3	..	
Jalna†														
TOTAL	10,552	6,378	31.4	..	4	..	280	122	380	7	2,256	11.1	560	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 20th December, 1958—*contd.*

Towns	Mid-year Popn.-Est. (000)	B.	B.R.*	Deaths from 1—							M.D.	Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.					
Kerala—contd.														
w/e 6-12-58														
Trichur	80	8	5.2	2	..	4	2.6	1	
Trivandrum	247	13	2.7	1	1	..	8	1.7	2	
Kozhikode	187	248	69.0	5	..	7	..	60	16.7	18	
Palghat	82	47	29.8	3	1	2	..	26	16.5	3	
Cannanore	49	22	23.4	2	..	3	..	12	12.7	3	
Tellicherry	43	28	33.9	1	1	..	12	14.5	3	
Cochin	33	39	61.5	3	..	8	12.6	..	
TOTAL	1,268	574	23.5	11	4	20	1	170	7.0	42	
w/e 13-12-58														
Alleppey	195	6	1.6	1	..	1	0.3	..	
Changanacherry	44	4	4.7	2	2.4	..	
Kottayam	55	5	4.7	2	1.9	..	
Ernakulam	77	1	0.7	1	0.7	..	
Mattancherry	94	25	13.8	1	..	15	8.3	5	
Quilon	82	118	74.8	2	2	1.3	..	
Trichur†	1	1	3	..	19	4.0	3	
Trivandrum	247	153	32.2	9	2	10	..	73	20.3	13	
Kozhikode	187	229	63.7	
Palghat	82	46	29.2	2	1	1	..	23	14.6	3	
Cannanore	49	21	22.3	1	..	5	15.3	2	
Tellicherry	43	51	61.7	16	9.4	4	
Cochin	33	17	26.8	10	15.8	3	
TOTAL	1,188	676	29.6	12	4	17	2	169	3.2	33	
Delhi														
w/e 13-12-58														
Delhi City	1,216	721	30.8	49	12	44	3	220	9.4	46	
New Delhi	417	130	16.2	1	..	2	..	13	1.6	6	
N.A.C. Civil	
Station Delhi	130	111	44.4	..	1	..	1	1	13	..	26	10.4	8	
Delhi Cantt	54	25	24.1	
Delhi Shahdara	58	83	74.4	4	2	4	..	18	16.1	4	
TOTAL	1,875	1,070	31.3	..	1	..	55	15	63	3	277	7.7	64	
Madhya Pradesh														
w/e 13-12-58														
Bilaspur†	
Burhanpur†	
Damoh	47	21	23.1	2	2	8	8.8	..	
Jabalpur	267	209	40.7	7	4	11	..	34	6.6	12	
Khandwa †	
Raipur†	
Murwar†	
Sagar†	
Chindwar†	
Raigarh	33	9	12.0	1	..	1	10.3	..	
Itarsi†	
Greater Gwalior†	
Indore	423	337	41.4	8	3	38	2	92	11.3	35	
Ratlam	82	31	19.6	1	..	13	..	14	8.8	..	
Ujjain†	
Bhopal City†	3	..	4	4.3	1	
Mandsaur	48	7	7.5	
TOTAL	906	614	35.2	18	9	65	2	153	8.7	48	
Supplementary figures														
w/e 13-12-1958														
Rajasthan														
Alwar	61	14	12.0	2	..	1	..	4	3.5	..	
Churu	52	10	10.0	
Ganganagar	65	5	4.0	..	1	..	4	..	1	..	8	6.4	2	
Jaipur	419	115	14.2	35	6	6	3	77	9.5	18	
Kotah	83	2	1.2	3	8	5.0	1	
w/e 6-12-58														
Churu	52	8	8.0	2	2.0	..	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 20th December, 1958—*contd.*

Town	Mid.-year Popn. Est. (000)	Deaths from :—											Total	D.R.*	I.D.*
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
West Bengal		w/s 13-12-58													
Asansol	96	4	2.2	1	2	1.1	..		
Baidyabati†															
Bally	71	19	14.0	2	2	5	..	25	18.4	5		
Bankura†															
Bansberia†															
Baranagar	99	45	23.7	1	1	4	..	14	7.4	3		
Basirhat	43	4	4.9	2	2.14	..		
Berhampur	69	52	39.3	1	..	8	6.0	1		
Bhadreswar	44	5	5.9	1	1	3	3.6	..		
Bhatpara	150	34	11.8	9	..	1	1	28	9.7	6		
Bardwan	85	22	13.5	2	..	8	4.9	..		
Calcutta	2931	1500	26.7	1	1	..	22	39	123	4	562	10.0	163		
Champadan	41	25	31.8	2	2.5	..		
Cooch Behar†															
Darjeeling†															
English Bazar	37	43	60.6	1	7	9.9	..		
Garden Reach	131	22	8.8	2	2	1	3	15	6.0	6		
Halisahar	43	3	3.6		
Hooghly Chinsura	63	78	64.6	2	1	4	..	9	7.4	2		
Howrah	477	203	22.2	1	11	42	2	131	14.3	48		
Jalpaiguri†															
Kamarhati†															
Kanchrapara	104	28	14.0		
Krishnagar	69	1	0.8	..		
Midnapur	47	40	44.4	1	2	..	10	11.1	..		
Nabadwip	87	40	24.0	3	2	8	4.8	..		
Naihati	67	14	10.9	3	6	4.7	..		
North Barrackpore	37	4	5.6	1	1	3	4.2	..		
Panihati	76	1	0.7	4	..	2	..	12	8.2	..		
Santipur	55	29	27.5	3	..	5	4.7	2		
Sehrampur	92	55	31.2	1	1	2	..	15	8.5	6		
Siliguri	71	33	24.2	1	4	2.9	..		
South Dum Dum /	114	3	1.4		
South Suburban	1,49	55	19.2	1	4	2	..	9	3.1	1		
Titagarh	85	24	14.7	..	1	..	8	..	1	..	13	8.0	5		
Puruli	52	6	6.0	2	3	3.0	..		
Budge Budge	32	10	16.3	2	3	..	9	14.7	1		
Chandra Nagore	58	55	49.4	2	3	..	27	24.3	..		
Kharagpur	79	2	1.3		
TOTAL	5654	2,458	22.7	1	2	..	66	70	201	10	941	8.7	249		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending 20th December, 1958 relate to 118 towns from the States of Delhi, Madras, Mysore, Orissa, Pondicherry, Punjab, Rajasthan and Uttar Pradesh with a population of 18,169 thousand out of a total population of 46,461 thousand in 320 towns of the country. The number of births and deaths recorded in these towns were 11,826 and 4,602

registering birth and death rates of 33·8 and 13·2 per thousand of population respectively.

The following table gives the registered rates for different States :—

States	Current w/e 20-12-58		Corresponding w/e last year	
	B.R.	D.R.	B.R.	D.R.
Delhi	41·0	9·8	56·2	9·2
Madras	37·1	16·4	38·2	20·1
Mysore	30·1	11·2	26·9	11·9
Orissa	45·5	18·4	57·4	24·6
Pondicherry	66·5	15·2	56·5	17·3
Punjab	36·3	9·8	49·1	10·1
Rajasthan	14·6	10·2	19·3	8·9
Uttar Pradesh	31·3	13·2	34·6	13·9
India	33·8	13·2	38·2	14·5

NEW DELHI-2 (INDIA) ; }
The 12th January, 1959. }

H. R. SHARMA,
for Registrar General, India.